JOURNAL OF ORGANOMETALLIC CHEMISTRY VOLUME 470, NUMBERS 1–2, MAY 17, 1994

Contents

Invited Review

Reduction with lithium dialkylamides
M. Majewski and D.M. Gleave (Saskatoon, Canada) (Rec'd October 7, 1993) 1

Regular Papers

ortho-Mercuration of ferrocenylimines
S.Q. Huo, Y.J. Wu (Zhengzhou, China), Y. Zhu and L. Yang (Lanzhou, China) (Rec'd June 9, 1993; in rev'd form September 29, 1993) 17

Reaktion von konjugierten Doppelbindungsystemen mit Dihalogen(diorganylamino)boranen und Na/K-Legierung
W. Maringgele, S. Dielkus, R. Herbst-Irmer, H. Michaelsen und A. Meller (Göttingen, Deutschland) (Eing. den 3. September 1993) . . 23

Can triorganoboroxins exist in a "monomeric" R–B=O form? MNDO calculations and ebulliometric molecular weight determination
A. Sporzyński and H. Szatyłowicz (Warsaw, Poland) (Rec'd September 1, 1993) 31

Cyclotetrasilazane als Precursor für Cyclotrisilazane und Bis(cyclodisilazan-1-yl)silane
E. Werner und U. Klingebiel (Göttingen, Deutschland) (Eing. den 16. August 1993) 35

Pentacoordinate silicon compounds: stereochemical non-rigidity of chelates formed by intramolecular ring-closure. Crystal structure of 8-dimethylamino-1-trifluorosilylnaphthalene
F. Carré, R.J.P. Corriu, A. Kpoton, M. Poirier, G. Royo, J.C. Young and C. Belin (Montpellier, France) (Rec'd May 26, 1993) 43

Zur Struktur des Diethylgermanium-diphenylsiliciumoxids und zur Konformation von Achtringen mit Silicium und Germanium
M. Akkurt, T.R. Kök (Kayseri, Türkei), P. Faleschini, L. Randaccio (Triest, Italien), H. Puff und W. Schuh (Bonn, Deutschland) (Eing. den 8. September 1993) 59

Synthesis of bimetallic[Sn^{IV},Al^{III}]-μ-oxoisopropoxyacetate and -μ-oxoisopropoxide and their acetylacetone and benzoylacetone derivatives
Sonika, A.K. Narula, O.P. Vermani, H.K. Sharma (Haryana, India) and A.S. Sarpal (Faridabad, India) (Rec'd August 4, 1993) 67

Molecular mechanics (MM2) calculations and cone angles of phosphine ligands
M. Chin, G.L. Durst, S.R. Head, P.L. Bock (Muncie, IN, USA) and J.A. Mosbo (Harrisonburg, VA, USA) (Rec'd February 12, 1993; in rev'd form December 15, 1993) 73

Strukturen und Reaktionen von Methylantimondihalogeniden und Versuche zur Darstellung von Methylantimon
H.J. Breunig, M. Denker und K.H. Ebert (Bremen, Deutschland) (Eing. den 1. September 1993) 87

Syntheses and structures of dimesitylbismuth(III) bromide, Mes_2BiBr, and bis(diphenyldithiophosphinato)mesitylbismuth(III), $MesBi(S_2PPh_2)_2$
K.H. Ebert, R.E. Schulz, H.J. Breunig (Bremen, Germany), C. Silvestru and I. Haiduc (Cluj-Napoca, Romania) (Rec'd August 19, 1993) 93

Studies on organolanthanide complexes. LXIII. Synthesis, spectroscopic and X-ray crystallographic characterization of new early organolanthanide, organoyttrium hydride and organoholmium hydroxide complexes
D. Deng, Y. Jiang, C. Qian, G. Wu and P. Zheng (Shanghai, China) (Rec'd June 30, 1993; in rev'd form September 24, 1993) 99

The synthesis and electrochemistry of $CpTiCl_2(OR)$ (R = alkyl, aryl) complexes
I.M.M. Fussing, D. Pletcher and R.J. Whitby (Southampton, UK) (Rec'd August 17, 1993) 109

The electrochemical reduction of Cp_2TiCl_2 in the presence of trimethylphosphine
I.M.M. Fussing, D. Pletcher and R.J. Whitby (Southampton, UK) (Rec'd August 17, 1993) 119

Delocalization of the unpaired spin density in some niobocene complexes with σ-donor, π-acceptors
A. Antiñolo (Ciudad Real, Spain), M. Fajardo, E. De Jesús (Alcalá de Henares, Spain), Y. Mugnier (Dijon, France) and A. Otero (Ciudad Real, Spain) (Rec'd May 6, 1993) 127

Etude conformationnelle du complexe η^6-(4-(trifluorométhoxy)aniline)tricarbonylchrome
F. Rose-Munch, R. Khourzom, J.-P. Djukic, E. Rose (Paris, France), B. Langlois (Villeurbanne, France) et J. Vaisserman (Paris, France) (Reçu le 29 juilliet 1993; révisé le 25 septembre 1993) 131

Reaction of sodium amalgam with (μ-enyne)bis(dicarbonyl-η^5-cyclopentadienylmolybdenum(I)) and (μ-η^2,η^3-allenyl)bis(dicarbonyl-η^5-cyclopentadienylmolybdenum) tetrafluoroborate complexes. Crystal structure of $[[\{Mo(\eta^5\text{-}C_5H_5)(CO)_2\}_2\{\mu\text{-}HC{\equiv}CCH(CH_2CH_3)\}]_2]$
J.F. Capon, S. Cornen, N. Le Berre-Cosquer, R. Pichon, R. Kergoat (Brest, France) and P. L'Haridon (Rennes, France) (Rec'd June 18, 1993) 137

Nuclear magnetic resonance studies of sulfur inversion in bis(cyclopentadienyl)-molybdenum and -tungsten complexes with dithioethers
J.R. Ascenso, M. De Deus Carvalho, A.R. Dias, C.C. Romão, M.J. Calhorda and L.F. Veiros (Lisboa, Portugal) (Rec'd July 28, 1993) . 147

Synthesis and characterisation of monomeric, dimeric and polymeric ferrocenylacetylides. Crystal structure of 1,1'-bis(phenylethynyl)ferrocene
S.L. Ingham, M.S. Khan, J. Lewis, N.J. Long and P.R. Raithby (Cambridge, UK) (Rec'd September 9, 1993) 153

Preparation and Mössbauer spectroscopic studies of 1',1'''-diacetyl- and 1'-acetyl-1'''-(1-naphthylimino-ethyl)biferrocenes and their partially oxidized biferrocenium salts
H.-H. Wei, I.-S. Hwang (Tamsui, Taiwan), M.-C. Cheng and Y. Wang (Taipei, Taiwan) (Rec'd July 22, 1993; in rev'd form September 22, 1993) 161

Molecular orbital calculations on $Fe_4(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$ and $Fe_3Ru(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}Se)_2$
S.N. Datta, R.-K. Kondru and P. Mathur (Bombay, India) (Rec'd September 11, 1993) 169

Synthesis and derivative chemistry of $[Ru_2(\mu\text{-}PPh_2)(\mu\text{-}OH)_2(\eta^6\text{-}p\text{-cymene})_2]^+$
J.A. Cabeza, F. Mulla and V. Riera (Oviedo, Spain) (Rec'd July 28, 1993) 173

NMR conformational studies of (1,2-bis(diarylphosphino)ethane)(diorgano sulfide)ruthenium complexes
K. Ohkita, H. Kurosawa, T. Hirao and I. Ikeda (Osaka, Japan) (Rec'd August 11, 1993; in rev'd form September 24, 1993) 179

η^5-Pentamethylcyclopentadienylruthenium(II) complexes containing η^6-coordinated α-amino acids
W.S. Sheldrick and A. Gleichmann (Germany) (Rec'd August 12, 1993) 183
Relative stability of η^5-cyclopentadienyl(olefin)ruthenium cations: the first estimation of the nature of the Ru^{II}–olefin bond
K. Ohkita, H. Kurosawa, T. Hirao and I. Ikeda (Osaka, Japan) (Rec'd July 14, 1993; in rev'd form September 29, 1993) 189
The reaction of dihydridotetrakis(triphenylphosphane)ruthenium(II) with methyl acrylate. Crystal structure of bis(methylacrylate)bis(triphenylphosphane)(aqua)ruthenium(0)
R. Sustmann, B. Patzke and R. Boese (Essen, Germany) (Rec'd August 23, 1993) 191
The reaction of $(\mu\text{-H})_2Os_3(CO)_9(PPh_3)$ with ethylene affords the ethylidene complex $(\mu\text{-H})_2Os_3(CO)_9(PPh_3)(\mu\text{-CHCH}_3)$
M. Koike and J.R. Shapley (Urbana, IL, USA) (Rec'd May 28, 1993; in rev'd form September 13, 1993) 199
Thermally and photochemically induced vinyl-hydrogen activation of $[\eta^4$-1,2:3,4-(*trans*-1,3,5-hexatriene)$](\eta^5$-cyclopentadienyl) cobalt: regio- and stereospecific hydrogen migrations
J.A. King Jr. and K.P.C. Vollhardt (Berkeley, CA, USA) (Rec'd March 10, 1993; in rev'd form August 30, 1993) 207
Formation and structure of $[Co\{Ph_2PN(^iBu)PPh_2\text{-}P,P'\}_2(CO)][Co(CO)_4]$ – a cage molecule-pair or an ion-pair complex?
Z.-Z. Zhang, A. Yu, H.-P. Xi, R.-J. Wang and H.-G. Wang (Tianjin, China) (Rec'd April 28, 1993; in rev'd form September 24, 1993) . 223
Syntheses and crystal structures of 1,2:5,6:9,10:13,14:17,18:21,22-hexabenzo-3,7,11,15,19,23-hexadehydro[24]annulene (HBC), 1,2:5,6:9,10:13,14-tetrabenzo-3,7,11,15-tetradehydro[16]annulene (QBC) and a tetracobalt complex of QBC. The first example of a transition metal complex of QBC
D. Solooki, J.D. Bradshaw, C.A. Tessier, W.J. Youngs (Akron, OH, USA), R.F. See, M. Churchill (Buffalo, NY, USA) and J.D. Ferrara (The Woodlands, TX, USA) (Rec'd January 20, 1993; in rev'd form September 15, 1993) 231
Analogues of DIOP. Synthesis, reactivity, and NMR behaviour
A. Börner, R. Kadyrov, M. Michalik and D. Heller (Rostock, Germany) (Rec'd July 26, 1993) 237
Ein Beitrag zur Darstellung und Reaktivität der η^3-Allyliridium-Komplexe $[Ir(\eta^3\text{-}2\text{-}RC_3H_4)(P^iPr_3)_2]$
M. Schulz und H. Werner (Würzburg, Deutschland) (Eing. den 6. September 1993) 243
Reactivity of mono- and di-methoxycarbonyl complexes of Pd^{II} towards amines and copper amine complexes: role of copper in the catalyzed palladium–copper oxidative carbonylation of amines
P. Giannoccaro (Bari, Italy) (Rec'd May 19, 1993) 249
Elimination of β-palladium hydroxide in the Pd^{II}-catalyzed reaction of methyl (α-hydroxymethyl)acrylate with alcohols
T. Hosokawa, T. Sugafuji, T. Yamanaka and S.-I. Murahashi (Osaka, Japan) (Rec'd July 28, 1993; in rev'd form September 24, 1993) . 253
Synthesis of aromatic acids via catalyzed methyl formate–chloroarene reactions
G. Jenner and A. Ben Taleb (Strasbourg, France) (Rec'd June 17, 1993) 257
Molecular structure and electrochemical properties of the Pt^{II} complex of 1,1'-bis(methylthio)ferrocene and the Pd^{II} complexes of 1,4,7-trithia[7]- and 1,5,9-trithia[9] (1,1')ferrocenophanes
M. Sato, K. Suzuki, H. Asano, M. Sekino, Y. Kawata (Saitama, Japan), Y. Habata and S. Akabori (Chiba, Japan) (Rec'd July 22, 1993; in rev'd form September 29, 1993) 263
Determination of the free activation energy for the breaking of the $^{31}P\text{–}^{107(109)}Ag$ bond in $[(\eta^6\text{-}p\text{-cymene})Ru(\mu\text{-pz})_3Ag(PPh_3)]$
D. Carmona, J. Ferrer, M.P. Lamata, L.A. Oro (Zaragoza, Spain), H.-H. Limbach, G. Scherer (Berlin, Germany), J. Elguero and M.L. Jimeno (Madrid, Spain) (Rec'd July 9, 1993) 271
A ^{197}Au Mössbauer study of reaction products of trimeric 1-benzyl-2-gold(I)-imidazole leading to Au^I carbene or Au^I imidazoline complexes and trinuclear Au^{III} imidazolyl derivatives. X-Ray crystal structure of $[\{(\mu\text{-}1\text{-benzylimidazolato-}N^3,C^2)Au\}_3I_2]$
B. Bovio (Pavia, Italy), S. Calogero (Venezia, Italy), F.E. Wagner (Garching, Germany), A. Burini and B.R. Pietroni (Camerino, Italy) (Rec'd July 14, 1993) 275

Preliminary Communications
Übergangsmetall-substituierte Acylphosphane und Phosphaalkene. XX. Dipolare [3 + 2]-Cycloadditionen eines Acetylendicarbonsäureesters an die Metallophosphaalkene $(\eta^5\text{-}C_5Me_5)(CO)_2Fe\text{–}P{=}C(R)SiMe_3$ (R = Ph, $SiMe_3$)
L. Weber und A. Rühlicke (Bielefeld, Deutschland) (Eing. den 22. November 1993) C1
Direct synthesis of (η^6-arene)- tricarbonylchromium complexes by arene displacement from tricarbonyl(η^5-1-methylpyrrole)chromium(0)
A. Goti (Firenze, Italy) and M.F. Semmelhack (Princeton, NJ, USA) (Rec'd October 8, 1993) C4
Heterozyklen als Liganden. XX. Spektroskopische und strukturelle Charakterisierung von Pentacarbonylmetall-Komplexen der Imidazol-2-ylidene
N. Kuhn, T. Kratz (Chemnitz, Deutschland), R. Boese und D. Bläser (Essen, Deutschland) (Eing. den 30. November 1993) C8
A convenient synthesis of hexacarbonyldicobalt complexes of chiral (non-racemic) terminal alkoxyacetylenes
V. Bernardes (Grenoble, France), X. Verdaguer, A. Moyano, M.A. Pericàs, A. Riera (Barcelona, Spain) and A.E. Greene (Grenoble, France) (Rec'd November 4, 1993) C12
Unusual stabilization of cationic "$M(\eta^3\text{-allyl})^{+n}$ (M = Pt, Pd) units by a dianionic *cis*-$\{Pt(C_6F_5)_2(C{\equiv}CSiMe_3)_2\}^{2-}$ fragment
J.R. Berenguer, J. Forniés (Zaragoza, Spain), E. Lalinde (Logroño, Spain) and F. Martínez (Zaragoza, Spain) (Rec'd November 3, 1993) C15

Author Index C19

Subject Index C21

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.